


RUJUKAN

O C O C
O N L I N E



Dr Rizal Abu Bakar

NEUROVERSITI

MODUL AKTIVITI

oleh Dr Rizal Abu Bakar

Ini adalah senarai rujukan Modul Aktiviti bagi Tuan dan Cikpuan yang berminat mengetahui dengan lebih dalam:

1. Querido, J.S., and Sheel, A.W. (2007). Regulation of cerebral blood flow during exercise. *Sports Medicine*, 37(9), 765–782.
2. Sofi, F., Valecchi, D., Bacci, D., Abbate, R., Gensini, G.F., Casini, A., and Macchi, C. (2011). Physical activity and risk of cognitive decline: A meta-analysis of prospective studies. *Journal of Internal Medicine*, 269(1), 107–117.
3. Weuve, J., Kang, J.H., Manson, J.E., Breteler, M.M., Ware, J.H. and Grodstein, F., 2004. Physical activity, including walking, and cognitive function in older women. *JAMA*, 292(12), 1454–1461.
4. Frederiksen, K.S., Verdelho, A., Madureira, S., Bänzner, H., O'Brien, J.T., Fazekas, F., Scheltens, P., Schmidt, R., Wallin, A., Wahlund, L.O., and Erkinjuntii, T. (2015). Physical activity in the elderly is associated with improved executive function and processing speed: the LADIS Study. *International Journal of Geriatric Psychiatry*, 30(7), 744–750.
5. Erickson, K.I., Voss, M.W., Prakash, R.S., Basak, C., Szabo, A., Chaddock, L., Kim, J.S., Heo, S., Alves, H., White, S.M., and Wojcicki, T.R. (2011). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences*, 108(7), 3017–3022.
6. Gómez-Pinilla, F., Ying, Z., Roy, R.R., Molteni, R., and Edgerton, V.R. (2002). Voluntary exercise induces a BDNF-mediated mechanism that promotes neuroplasticity. *Journal of Neurophysiology*, 88(5), 2187–2195.
7. Cotman, C.W., Berchtold, N.C., and Christie, L.A. (2007). Exercise builds brain health: Key roles of growth factor cascades and inflammation. *Trends in Neurosciences*, 30(9), 464–472.
8. Huang, T., Larsen, K.T., Ried- Larsen, M., Møller, N.C., and Andersen, L.B. (2014). The effects of physical activity and exercise on brain-derived neurotrophic factor in healthy humans: A review. *Scandinavian Journal of Medicine & Science in Sports*, 24(1), 1–10.
9. de Melo Coelho, F.G., Gobbi, S., Andreatto, C.A.A., Corazza, D.I., Pedroso, R.V., and Santos-Galduróz, R.F. (2013). Physical exercise modulates peripheral levels of brain-derived neurotrophic factor (BDNF): A systematic review of experimental studies in the elderly. *Archives of Gerontology and Geriatrics*, 56(1), 10–15

MODUL AKTIVITI

oleh Dr Rizal Abu Bakar

10. Nagamatsu, L.S., Handy, T.C., Hsu, C.L., Voss, M., and Liu-Ambrose, T. (2012). Resistance training promotes cognitive and functional brain plasticity in seniors with probable mild cognitive impairment. *Archives of Internal Medicine*, 172(8), 666–668.
11. Yarrow, J.F., White, L.J., McCoy, S.C., and Borst, S.E. (2010). Training augments resistance exercise induced elevation of circulating brain derived neurotrophic factor (BDNF). *Neuroscience Letters*, 479(2), 161–165.
12. Liu-Ambrose, T., Nagamatsu, L.S., Voss, M.W., Khan, K.M., and Handy, T.C. (2012). Resistance training and functional plasticity of the aging brain: A 12-month randomized controlled trial. *Neurobiology of Aging*, 33(8), 1690–1698.
13. Maass, A., Düzel, S., Brigadski, T., Goerke, M., Becke, A., Sobieray, U., Neumann, K., Lövdén, M., Lindenberger, U., Bäckman, L., and Braun-Dullaeus, R. (2016). Relationships of peripheral IGF-1, VEGF and BDNF levels to exercise-related changes in memory, hippocampal perfusion and volumes in older adults. *Neuroimage*, 131, 142–154.
14. Bossers, W.J., van der Woude, L.H., Boersma, F., Hortobágyi, T., Scherder, E.J., and van Heuvelen, M.J. (2015). A 9-week aerobic and strength training program improves cognitive and motor function in patients with dementia: a randomized, controlled trial. *The American Journal of Geriatric Psychiatry*, 23(11), 1106–1116.
15. Mortimer, J.A., Ding, D., Borenstein, A.R., DeCarli, C., Guo, Q., Wu, Y., Zhao, Q., and Chu, S. (2012). Changes in brain volume and cognition in a randomized trial of exercise and social interaction in a community-based sample of non-demented Chinese elders. *Journal of Alzheimer's Disease*, 30(4), 757–766.
16. Hoang, T.D., Reis, J., Zhu, N., Jacobs, D.R., Launer, L.J., Whitmer, R.A., Sidney, S. and Yaffe, K. (2016). Effect of early adult patterns of physical activity and television viewing on midlife cognitive function. *JAMA Psychiatry*, 73(1), 73–79.
17. Klaren, R.E., Hubbard, E.A., Wetter, N.C., Sutton, B.P., and Motl, R.W. (2017). Objectively measured sedentary behavior and brain volumetric measurements in multiple sclerosis. *Neurodegenerative Disease Management*, 7(1), 31–37.
18. Hawley JA, et al. "Integrative Biology of Exercise." *Cell*. 2014 Nov 6; 159(4): 738–49.